



Material Safety Data Sheets

Division of Facilities Services

DOD Hazardous Material Information (ANSI Format) For Cornell University Convenience Only

01922 MOLYTEX EP 2

Section 1 - Product and Company Identification	Section 9 - Physical & Chemical Properties
Section 2 - Composition/Information on Ingredients	Section 10 - Stability & Reactivity Data
Section 3 - Hazards Identification Including Emergency Overview	Section 11 - Toxicological Information
Section 4 - First Aid Measures	Section 12 - Ecological Information
Section 5 - Fire Fighting Measures	Section 13 - Disposal Considerations
Section 6 - Accidental Release Measures	Section 14 - MSDS Transport Information
Section 7 - Handling and Storage	Section 15 - Regulatory Information
Section 8 - Exposure Controls & Personal Protection	Section 16 - Other Information

The information in this document is compiled from information maintained by the United States Department of Defense (DOD). Anyone using this information is solely responsible for the accuracy and applicability of this information to a particular use or situation. Cornell University does not in any way warrant or imply the applicability, viability or use of this information to any person or for use in any situation.

Section 1 - Product and Company Identification 01922 MOLYTEX EP 2

Product Identification: 01922 MOLYTEX EP 2
Date of MSDS: 03/12/1991 **Technical Review Date:** 08/20/1991
FSC: 9150 **NIIN:** 01-086-1991
Submitter: N EN
Status Code: C
MFN: 01
Article: N
Kit Part: N

Manufacturer's Information

Manufacturer's Name: TEXACO LUBRICANTS CO
Post Office Box: 52332
Manufacturer's Address1:
Manufacturer's Address2: HOUSTON, TX 77052
Manufacturer's Country: US
General Information Telephone: 914-838-7336
Emergency Telephone: 914-831-3400 OR 914-838-7204
Emergency Telephone: 914-831-3400 OR 914-838-7204
MSDS Preparer's Name: N/P
Proprietary: N
Reviewed: N
Published: Y
CAGE: OTTJ3
Special Project Code: N

Item Description

Item Name: GREASE,MOLYBDENUM DISULFIDE
Item Manager: S9G
Specification Number: NK
Type/Grade/Class: NK
Unit of Issue: EA
Unit of Issue Quantity: 0
Type of Container:

Contractor Information

Contractor's Name: TEXACO INC CORPORATE HQ
Post Office Box: N/K
Contractor's Address1: 2000 WESTCHESTER AVE
Contractor's Address2: WHITE PLAINS, NY 10604
Contractor's Telephone: 914-253-4000
Contractor's CAGE: 59595

Contractor Information

Contractor's Name: TEXACO LUBRICANTS
Post Office Box: 4427
Contractor's Address1: 4164 E INNSLAKE DR
Contractor's Address2: GLEN ALLEN, VA 23060
Contractor's Telephone: 804-527-4311
Contractor's CAGE: OTTJ3

Section 2 - Composition/Information on Ingredients
01922 MOLYTEX EP 2

Ingredient Name: EYE PROT:MAY ADD FULL LENGTH FACESHIELD TO GOGGLES (FP N).
Ingredient CAS Number: **Ingredient CAS Code:** X
RTECS Number: 9999999ZZ **RTECS Code:** M

=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: FIRST AID PROC:MATL INTO SKIN, IF NOT PROPERLY TREATED CAN CAUSE SEVERE INJURY. MOST DMG OCCURS DURING FIRST (SEE ING 9)

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 9999999ZZ RTECS Code: M

=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: HYDROTREATED C25 BRIGHT STOCK-BASED LUBRICATING OIL. OSHA PEL/ACGIH TLV:10 MG/M3 STEL (MIST).

Ingredient CAS Number: 72623-83-7 Ingredient CAS Code: M

RTECS Number: RTECS Code: X

=WT: =WT Code:

=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 35-50
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: 5 MG/M3 (MIST) OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 5 MG/M3 (MIST) ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Ingredient Name: ING 10:X-RAY MAY REVEAL PRESENCE OF GAS IN TENDON SHEATHS OR SOFT TISS. REMOVE & DRY-CLEAN/LAUNDER CLTHG (SEE ING 12)

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 999999ZZ RTECS Code: M

=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: ING 11:SOAKED/SOILED W/ MATL BEFORE REUSE. DRY CLEANING OF CONTAMD CLTHG MAY BE MORE EFFECTIVE THAN NORM (SEE ING 13)

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 999999ZZ RTECS Code: M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: ING 12:LAUNDERING. INFORM INDIVIDUALS RESPONSIBLE FOR CLEANING OF POTENTIAL HAZARDS ASSOC W/HNDLG CONTAMD CLOTHING.

Ingredient CAS Number: **Ingredient CAS Code:** X

RTECS Number: 999999ZZ **RTECS Code:** M

=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: ING 15:SARA TITLE III, SEC 313. CONTAINS MICHIGAN CRITICAL MATERIALS:0.17% LITHIUM; 0.14% ZINC.

Ingredient CAS Number: **Ingredient CAS Code:** X

RTECS Number: 999999ZZ **RTECS Code:** M

=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:

>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: ING 8:FEW HRS. FAILURE TO DEBRIDE WOUND OF ALL RESIDUAL MATL
CAN RESULT IN DISFIGUREMENT, LOSS OF FUNCTION, (SEE ING 10)

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 9999999ZZ RTECS Code: M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: N/K

% Enviromental Weight:

Other REC Limits: N/K

OSHA PEL: N/K OSHA PEL Code: M

OSHA STEL: OSHA STEL Code:

ACGIH TLV: N/K ACGIH TLV Code: M

ACGIH STEL: N/P ACGIH STEL Code:

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical:

Ingredient Name: ING 9:OR EVEN REQ AMPUTATION OF AFFECTED AREA. EXTENT OF
INJURY CANNOT BE DETERMINED BY EXAMINING WOUND. (SEE ING 11)

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 9999999ZZ RTECS Code: M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: N/K ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Ingredient Name: LITHIUM 12-HYDROXYSTEARATE
Ingredient CAS Number: 7620-77-1 **Ingredient CAS Code:** M
RTECS Number: RTECS Code: X
=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 4-11
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: NOT APPLICABLE **OSHA PEL Code:** M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: NOT APPLICABLE **ACGIH TLV Code:** M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Ingredient Name: MOLYBDENUM DISULFIDE
Ingredient CAS Number: 1317-33-5 **Ingredient CAS Code:** M
RTECS Number: QA4697000 **RTECS Code:** M
=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:

% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 1-3.99
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: 10 MG/M3 TDUST OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 10 MG/M3 TDUST ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Ingredient Name: OTHER PREC:OR HEAT. KEEP CNTNR CLOSED & DRUM BUNGS IN PLACE. INGRED 2 SUBJECT TO REPORTING REQUIREMENTS OF (SEE ING 16)

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 9999999ZZ RTECS Code: M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: N/K

% Enviromental Weight:

Other REC Limits: N/K

OSHA PEL: N/K OSHA PEL Code: M

OSHA STEL: OSHA STEL Code:

ACGIH TLV: N/K ACGIH TLV Code: M

ACGIH STEL: N/P ACGIH STEL Code:

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical:

Ingredient Name: PETROLEUM DISTILLATES SOLVENT-DEWAXED HEAVY PARAFFINIC.
OSHA PEL/ACGIH TLV:10 MG/M3 STEL (OIL MIST).

Ingredient CAS Number: 64742-65-0 **Ingredient CAS Code:** M

RTECS Number: PY8038500 **RTECS Code:** M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 35-50
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: 5 MG/M3 (OIL MIST) OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 5 MG/M3 (OIL MIST) ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Ingredient Name: PHOSPHORODITHIOIC ACID, DIALKYL ESTER, ZINC SALT (ZINC DIALKYL DITHIOPHOSPHATE)

Ingredient CAS Number: 4259-15-8 **Ingredient CAS Code:** M

RTECS Number: TD5550000 **RTECS Code:** M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: 1-3.99

% Enviromental Weight:

Other REC Limits: N/K

OSHA PEL: NOT APPLICABLE OSHA PEL Code: M

OSHA STEL: OSHA STEL Code:

ACGIH TLV: NOT APPLICABLE ACGIH TLV Code: M

ACGIH STEL: N/P ACGIH STEL Code:

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical: N

Ingredient Name: SULFURIZED FATTY OIL

Ingredient CAS Number: 68991-19-5 **Ingredient CAS Code:** M

RTECS Number: RTECS Code: X

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: 1-3.99
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: NOT APPLICABLE OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: NOT APPLICABLE ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Ingredient Name: SUPP DATA:ATTN SHOULD BE SOUGHT EVEN IF INJECTION INJURY APPEARS TO BE MINOR.

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 9999999ZZ RTECS Code: M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: N/K

% Enviromental Weight:

Other REC Limits: N/K

OSHA PEL: N/K OSHA PEL Code: M

OSHA STEL: OSHA STEL Code:

ACGIH TLV: N/K ACGIH TLV Code: M

ACGIH STEL: N/P ACGIH STEL Code:

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical:

Ingredient Name: WASTE DISP METH:TRANSFORMATIONS, MIXTURES, PROCESSES, ETC., MAY RENDER RESULTING MATERIALS HAZARDOUS.

Ingredient CAS Number: Ingredient CAS Code: X

RTECS Number: 9999999ZZ RTECS Code: M

=WT: =WT Code:

=Volume: =Volume Code:

>WT: >WT Code:

>Volume: >Volume Code:

<WT: <WT Code:

<Volume: <Volume Code:

% Low WT: % Low WT Code:

% High WT: % High WT Code:

% Low Volume: % Low Volume Code:

% High Volume: % High Volume Code:

% Text: N/K

% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: N/K **OSHA PEL Code:** M
OSHA STEL: **OSHA STEL Code:**
ACGIH TLV: N/K **ACGIH TLV Code:** M
ACGIH STEL: N/P **ACGIH STEL Code:**
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical:

Section 3 - Hazards Identification, Including Emergency Overview
01922 MOLYTEX EP 2

Health Hazards Acute & Chronic: ACUTE:EYE:MAY CAUSE IRRIT, EXPERIENCED AS MILD DISCOMFORT & SEEN AS SLIGHT EXCESS REDNESS. SKIN:NO ADVERSE EFTS EXPECTED FROM ABSORP OF MATL. BRIEF CNTCT MAY CAUSE SLIGHT IRRIT. PRLNGD CNTCT, AS W/CLT HG WETTED W/MATL, MAY CAUSE MORE SEVEREIRRIT & DISCOMFORT, SEEN AS LOCAL REDNESS & SWELLING. (SEE EFTS OF OVEREXP)

Signs & Symptoms of Overexposure:

HLTH HAZ:INHAL:PROD NOT VOLAT AT AMBIENT TEMPS. NO ADVERSE EFTS EXPECTED FROM VAP GENERATED AT AMBIENT TEMPS. INGEST:NO ADVERSE EFTS EXPECTED. IF MORE THAN SEVERAL MOUTHFULS SWALLOWED, ABDOM DISCOMFOR T, NAUSEA & DIARR MAY OCCUR. CHRONIC:NOADVERSE EFTS ANTICIPATED. MATL FROM HIGH PRESS EQUIP, PINHOLE LEAKS, (SUPP DATA)

Medical Conditions Aggravated by Exposure:

BECAUSE OF ITS IRRITATING PROPERTIES, REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS (SKIN CONDITION).

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route of Entry Indicators:

Inhalation: YES
Skin: YES
Ingestion: NO

Carcenogenicity Indicators

NTP: NO
IARC: NO
OSHA: NO

Carcinogenicity Explanation: NOT RELEVANT

Section 4 - First Aid Measures
01922 MOLYTEX EP 2

First Aid:

EYE:IMMED FLUS W/PLENTY OF WATER FOR AT LEAST 15 MIN. HOLD LIDS APART WHILE FLUSHING TO RINSE ENTIRE SURFACE. GET MD. SKIN:WASH W/PLENTY OF SOAP

& WATER FOR SEVERAL MIN. GET MD IF IRRIT DEVELOPS/PERSI STS. INGEST:IF MORE THAN SEVERAL MOUTHFULS SWALLOWED, GIVE 2 GLASSES OF WATER (16 OZ). GET MD. INHAL:IF IRRIT OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. NOTE TO MD:HIGH PRESS INJECTION OF (SEE ING 8)

Section 5 - Fire Fighting Measures

01922 MOLYTEX EP 2

Fire Fighting Procedures:

WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP (FP N). USE WATER TO COOL FIRE-EXPOSED CNTNRS. IF LEAK/SPILL NOT IGNITED, USE WATER SPRAY TO DISPERSE (SUPP DATA)

Unusual Fire or Explosion Hazard:

NONE.

Extinguishing Media:

WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING.

Flash Point: Flash Point Text: N/K (GREASE)

Autoignition Temperature:

Autoignition Temperature Text: N/A

Lower Limit(s): N/K

Upper Limit(s): N/K

Section 6 - Accidental Release Measures

01922 MOLYTEX EP 2

Spill Release Procedures:

VENT AREA. AVOID BRTHG VAPOR. USE NIOSH/MSHA APPRVD SCBA OR SUPPLIED-AIR FOR LG SPILLS OR CONFINED AREAS. CONTAIN SPILL IF POSS. WIPE UP OR ABSORB ON SUITABLE MATL & SHOVEL UP. PVNT ENTRY INTO SEWERS & WATERWAYS. AVOID CNTCT W/SKIN, EYES OR CLTHG.

Section 7 - Handling and Storage

01922 MOLYTEX EP 2

Handling and Storage Precautions:

Other Precautions:

Section 8 - Exposure Controls & Personal Protection

01922 MOLYTEX EP 2

Respiratory Protection:

AIRBORNE CONCS SHOULD BE KEPT TO LOWEST LEVELS POSS. IF VAPOR/MIST/DUST GENERATED,USE NIOSH/MSHA APPRVD RESP AS APPROP. SUPPLIED AIR RESP PROT SHOULD BE USED FOR CLEANING LG SPILLS/UPON ENTRY INTO TAN KS, VESSELS OR OTHER CONFINED SPACES.

Ventilation:

ADEQUATE VENTILATION TO MEET COMPONENT OCCUPATIONAL EXPOSURE LIMITS.

Protective Gloves:

IMPERVIOUS GLOVES (FP N).

Eye Protection: CHEMICAL WORKERS GOGGLES, (SEE ING 17)**Other Protective Equipment:** NONE SPECIFIED BY MANUFACTURER.**Work Hygienic Practices:** WASH EXPOSED SKIN SEVERAL TIMES DAILY W/SOAP & WATER. SOILED WORK CLTHG LAUNDERED/DRY-CLEANED AT LEAST ONCE A WEEK.**Supplemental Health & Safety Information:** FIRE FIGHT PROC: VAPS & TO PROVIDE PROT FOR PERSONS TRYING TO STOP LEAK. EFTS OF OVEREXP; OR HIGH PRESS LINE FAILURE CAN PENETRATE SKIN &, IF NOT PROPERLY TREATED, CAN CAUSE SEVERE INJURY, INCLDNG DISFIGUREMENT, LOSS OF FUNCTION OR EVEN REQ AMPUTATION OF AFFECTED AREA. TO PVNT SUCH SERIOUS INJURY, IMMED MED (SEE ING 7)

Section 9 - Physical & Chemical Properties
01922 MOLYTEX EP 2

HCC:**NRC/State License Number:****Net Property Weight for Ammo:****Boiling Point:** Boiling Point Text: N/K**Melting/Freezing Point:** Melting/Freezing Text: N/K**Decomposition Point:** Decomposition Text: N/K**Vapor Pressure:** NEGLIGIBLE **Vapor Density:** N/A**Percent Volatile Organic Content:****Specific Gravity:** N/K**Volatile Organic Content Pounds per Gallon:****pH:** N/A**Volatile Organic Content Grams per Liter:****Viscosity:** N/P**Evaporation Weight and Reference:** N/K**Solubility in Water:** NEGLIGIBLE.**Appearance and Odor:** DARK GRAY LIQUID.**Percent Volatiles by Volume:** N/K**Corrosion Rate:** N/K

Section 10 - Stability & Reactivity Data
01922 MOLYTEX EP 2

Stability Indicator: YES**Materials to Avoid:**

REACTS VIOLENTLY W/STRONG OXIDIZERS.

Stability Condition to Avoid:

NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:

TOX LEVELS OF CO, CO*2, IRRIT ALDEHYDES & KETONES & COMBUST PRODS/CMPDS OF MOLYBDENUM, ZINC, LITHIUM, SULFUR, PHOSPHORUS.

Hazardous Polymerization Indicator: NO**Conditions to Avoid Polymerization:**

NOT RELEVANT

Section 11 - Toxicological Information
01922 MOLYTEX EP 2

Toxicological Information:
N/P

Section 12 - Ecological Information
01922 MOLYTEX EP 2

Ecological Information:
N/P

Section 13 - Disposal Considerations
01922 MOLYTEX EP 2

Waste Disposal Methods:
DOES NOT MEET RCRA CRITERIA OF HAZARDOUS WASTE IF DISCARDED IN PURCHASED FORM. UNDER RCRA, IS RESPONSIBILITY OF USER TO DETERMINE AT TIME OF DISPOSAL, WHETHER PRODUCT MEETS RCRA CRITERIA FOR HAZ WASTE . THIS IS BECAUSE PROD USES, (SEE ING 14)

Section 14 - MSDS Transport Information
01922 MOLYTEX EP 2

Transport Information:
N/P

Section 15 - Regulatory Information
01922 MOLYTEX EP 2

SARA Title III Information:
N/P
Federal Regulatory Information:
N/P
State Regulatory Information:
N/P

Section 16 - Other Information
01922 MOLYTEX EP 2

Other Information:
N/P

HMIS Transportation Information

Product Identification: 01922 MOLYTEX EP 2
Transportation ID Number: 106237
Responsible Party CAGE: OTTJ3
Date MSDS Prepared: 03/12/1991
Date MSDS Reviewed: 10/01/1991
MFN: 10/01/1991
Submitter: N TN
Status Code: C

Container Information
Unit of Issue: EA
Container Quantity: 0

Type of Container:
Net Unit Weight:

Article without MSDS: N
Technical Entry NOS Shipping Number:
Radioactivity:
Form:
Net Explosive Weight:
Coast Guard Ammunition Code:
Magnetism: N/P
AF MMAC Code:
DOD Exemption Number:
Limited Quantity Indicator:
Multiple Kit Number: 0
Kit Indicator: N
Kit Part Indicator: N
Review Indicator: Y
Additional Data:
NOT REGULATED FOR TRANSPORTATION

Department of Transportation Information

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
DOT PSN Code: ZZZ
Symbols: N/R
DOT PSN Modifier:
Hazard Class: N/R
UN ID Number: N/R
DOT Packaging Group: N/R
Label: N/R
Special Provision(s): N/R
Packaging Exception: N/R
Non Bulk Packaging: N/R
Bulk Packaging: N/R
Maximum Quantity in Passenger Area: N/R
Maximum Quantity in Cargo Area: N/R
Stow in Vessel Requirements: N/R
Requirements Water/Sp/Other: N/R

IMO Detail Information

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
IMO PSN Code: ZZZ
IMO PSN Modifier:
IMDG Page Number: N/R
UN Number: N/R
UN Hazard Class: N/R
IMO Packaging Group: N/R
Subsidiary Risk Label: N/R
EMS Number: N/R
Medical First Aid Guide Number: N/R

IATA Detail Information

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
IATA PSN Code: ZZZ

IATA PSN Modifier:
IATA UN Id Number: N/R
IATA UN Class: N/R
Subsidiary Risk Class: N/R
UN Packaging Group: N/R
IATA Label: N/R
Packaging Note for Passengers: N/R
Maximum Quantity for Passengers: N/R
Packaging Note for Cargo: N/R
Maximum Quantity for Cargo: N/R
Exceptions: N/R

AFI Detail Information

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
AFI Symbols:
AFI PSN Code: ZZZ
AFI PSN Modifier:
AFI UN Id Number: N/R
AFI Hazard Class: N/R
AFI Packing Group: N/R
AFI Label: N/R
Special Provisions: N/A
Back Pack Reference: N/A

HAZCOM Label Information

Product Identification: 01922 MOLYTEX EP 2
CAGE: OTTJ3
Assigned Individual: Y
Company Name: TEXACO LUBRICANTS
Company PO Box: 4427
Company Street Address1: 4164 E INNSLAKE DR
Company Street Address2: GLEN ALLEN, VA 23060 US
Health Emergency Telephone: 914-831-3400 OR 914-838-7204
Label Required Indicator: Y
Date Label Reviewed: 08/20/1991
Status Code: C
Manufacturer's Label Number:
Date of Label: 08/20/1991
Year Procured: N/K
Organization Code: G
Chronic Hazard Indicator: N/P
Eye Protection Indicator: YES
Skin Protection Indicator: YES
Respiratory Protection Indicator: N/P
Signal Word: CAUTION
Health Hazard: None
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

8/8/2002 2:38:12 AM