

CONCRETE SEALANTS, INC -- CS-102 CONSEAL

=====

MSDS Safety Information

=====

MSDS Date: 02/20/1992
MSDS Num: CJHPM
Product ID: CS-102 CONSEAL
MFN: 01
Responsible Party
Cage: CONCR
Name: CONCRETE SEALANTS, INC
Address: 8917 S PALMER RD
Box: 176
City: NEW CARLISLE OH 45344
Info Phone Number: 513-845-8776 OR 513-845-2330
Emergency Phone Number: 513-845-2380
Review Ind: Y
Published: Y

=====

Contractor Summary

=====

Cage: CONCR
Name: CONCRETE SEALANTS, INC
Address: 8917 S PALMER RD
Box: 176
City: NEW CARLISLE OH 45344
Phone: 513-845-8776 OR 513-845-2330

=====

Ingredients

=====

Name: NON-HAZARDOUS

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Effects of Exposure: EYES: MAY CAUSE IRRITATION.
Signs And Symptions Of Overexposure: IRRITATION.
First Aid: EYES: REMOVE AS ONE WOULD ANY FOREIGN OBJECT. SKIN: WASH HANDS
W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Handling and Disposal

=====

Spill Release Procedures: RECOVER & PLACE IN SUITABLE CONTAINERS FOR
DISPOSAL.
Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL
REGULATIONS.
Handling And Storage Precautions: KEEP AWAY FROM OPEN FLAMES, HIGH HEAT
SOURCES.
Other Precautions: NONE.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: COC
Flash Point: =232.2C, 450.F
Extinguishing Media: WATER SPRAY, DRY CHEMICAL, FOAM
Fire Fighting Procedures: FIRE FIGHTING PERSONNEL IS REQUIRED TO USE
RESPIRATORY & EYE PROTECTION.

Unusual Fire/Explosion Hazard: IF IGNITED, HYDROGEN CHLORIDE & CARBON MONOXIDE MAY BE PRODUCED.

Control Measures

Respiratory Protection: NORMALLY NOT NEEDED.
 Ventilation: LOCAL, MECHANICAL (GENERAL)
 Protective Gloves: NOT NEEDED UNLESS MATERIAL IS HOT.
 Eye Protection: NORMALLY NOT NEEDED UNLESS MATERIAL IS HOT.
 Work Hygienic Practices: PRACTICE GOOD PERSONAL HYGIENE. WASH W/SOAP & WATER AFTER USE.
 Supplemental Safety and Health: PRODUCT DOES NOT MELT, BECOMES SOFT AT ELEVATED TEMPERATURES.

Physical/Chemical Properties

Spec Gravity: 1.25
 Appearance and Odor: BLACK TACKY SOLID, W/SLIGHT PETROLEUM ODOR

Reactivity Data

Stability Indicator: YES
 Stability Condition To Avoid: OPEN FLAMES, HIGH HEAT SOURCES, ELEVATED TEMPERATURES.
 Hazardous Decomposition Products: HYDROGEN CHLORIDE, CARBON MONOXIDE UPON IGNITION.
 Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: CS-102 CONSEAL
 Cage: CONCR
 Assigned IND: Y
 Company Name: CONCRETE SEALANTS, INC
 Street: 8917 S PALMER RD
 PO Box: 176
 City: NEW CARLISLE OH
 Zipcode: 45344
 Health Emergency Phone: 513-845-2380
 Label Required IND: Y
 Date Of Label Review: 07/14/1999
 Status Code: A
 Origination Code: G

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.